

Product	Product Quantity	Product Unit of Measure	Reference	BoM Type	Method	Ro
[SH-PG0040] BOXT908240 - 72mm x 500 Kraft Central - 240 Reinforced Tape	0.01	PCE		Normal BoM		
[SH-PA0014] 3/16X12P12 BUBBLE MASK	0.02	PCE		Normal BoM		
[HD-MS0026] 3M PET Tape	0.01	PCE		Normal BoM		
[SH-PG0032] Anti-Static Control Products 3X5 ZIP	1.00	PCE		Normal BoM		
[KT-CP0055] SD card with TAZ 3.1 files	1.00	PCE		Normal BoM	On Stock	
[EL-MS0119] SD card from GLCD kit	1.00	PCE		Normal BoM	On Stock	
[DC-LB0007] Label, Top of Box	1.00	PCE		Normal BoM		
[DC-LB0016] TAZ v3.1 bar code and serial number sticker	1.00	PCE		Normal BoM		
[DC-MS0019] TAZ 3 quick print instructions, #3	1.00	PCE		Normal BoM		
[DC-MS0018] TAZ 3 set up instructions, #2	1.00	PCE		Normal BoM		
[DC-MS0017] TAZ 3 unpacking instructions, #1	1.00	PCE		Normal BoM		
[HD-NT0007] M4 Wing Nut, Steel, Zinc Plated	4.00	PCE		Normal BoM		
[HD-BT0030] Metric 8.8 Zinc-Pltd Steel Hex Head Cap Screw M4 Size, 20mm Length, .7mm Pitch, Fully Threaded	4.00	PCE		Normal BoM		
[PP-GP0108] Shipping clamp, b	4.00	PCE		Normal BoM	On Stock	
[RM-AB0083] Red ABS 3mm Filament, 5lb Reel	3.00	g		Normal BoM		
[PP-GP0107] Shipping clamp, a	4.00	PCE		Normal BoM	On Stock	
[RM-AB0083] Red ABS 3mm Filament, 5lb Reel	3.00	g		Normal BoM		
[SH-BX0025] 10x8x2-1/2 32 Ect B Brown Roll End Tuck Mailer, Custom Box	1.00	PCE		Normal BoM		
[SH-BX0032] 30x24x13 CUSTOM BOX	1.00	PCE		Normal BoM		
[SH-PA0020] Fabricated Foam Insert: 2 End Caps, Tray w/Plastic Corrugated & Plain Pad, v3	1.00	PCE		Normal BoM		
[RM-AB0079] ABS 3mm, 1m filament sample, LulzBot green	1.00	PCE		Normal BoM	On Stock	
[RM-AB0027] LulzBot Green ABS 3mm Filament, 5lb Coil	1.00	Coil, 5lb		Normal BoM		
[DC-MS0016] Packing List, TAZ 3.1	1.00	PCE		Normal BoM		
[TL-MS0019] Tool Kit, TAZ	1.00	PCE		Normal BoM		
[HD-MS0058] Wire Tie, 8"	4.00	PCE		Normal BoM		
[DC-MN0008] Lulzbot-Taz 3.1 User Manual	1.00	PCE		Normal BoM		
[MK-MS0014] 3D PRINTED OCTOPUS-MINI	1.00	PCE		Normal BoM		
[KT-CP0054] TAZ 3.1 Calibration assembly	1.00	PCE		Normal BoM	On Stock	
[KT-CP0053] TAZ 3.1 Final Assembly	1.00	PCE		Normal BoM	On Stock	
[KT-CP0033] Frame XZ Assembly, TAZ	1.00	PCE		Normal BoM	On Stock	
[KT-CP0034] Frame Assembly, TAZ	1.00	PCE		Normal BoM	On Stock	
[PP-FP0013] Z top flat	2.00	PCE		Normal BoM		
[PP-FP0014] Z top side flat	2.00	PCE		Normal BoM		
[PP-FP0012] Frame Connector v2.0	7.00	PCE		Normal BoM		
[PP-FP0011] TAZ name plate, laser cut	1.00	PCE		Normal BoM		
[PP-GP0099] Y Mount Chassis v1.3, TAZ	4.00	PCE		Normal BoM	On Stock	
[RM-AB0082] Black ABS 3mm Filament, 5lb Reel	11.00	g		Normal BoM		
[PP-IS0012] Z motor mount, TAZ with inserts for Left	1.00	PCE		Normal BoM	On Stock	
[PP-GP0102] Z motor mount, TAZ	1.00	PCE		Normal BoM	On Stock	
[HD-MS0030] Metric Brass Heat-Set Insert for Plastics Tapered, M3-.5 Internal Thread, 3.8mm Length	2.00	PCE		Normal BoM		
[PP-IS0013] Z motor mount, TAZ with inserts for Right	1.00	PCE		Normal BoM	On Stock	
[PP-GP0102] Z motor mount, TAZ	1.00	PCE		Normal BoM	On Stock	
[RM-AB0082] Black ABS 3mm Filament, 5lb Reel	98.00	g		Normal BoM		
[HD-MS0030] Metric Brass Heat-Set Insert for Plastics Tapered, M3-.5 Internal Thread, 3.8mm Length	1.00	PCE		Normal BoM		
[KT-CP0047] Spool Arm, TAZ with bushing	1.00	PCE		Normal BoM	On Stock	
[PP-GP0109] Spool Arm, TAZ	1.00	PCE		Normal BoM	On Stock	
[RM-AB0082] Black ABS 3mm Filament, 5lb Reel	21.00	g		Normal BoM		
[HD-MS0062] Metric Aluminum Unthreaded Spacer, 8MM OD, 8MM Length, M5 Screw Size	1.00	PCE		Normal BoM		
[PP-GP0090] Feed tube holder	1.00	PCE		Normal BoM	On Stock	
[RM-AB0082] Black ABS 3mm Filament, 5lb Reel	7.00	g		Normal BoM		
[HD-EX0010] Aluminum Frame, extrusion 20mm x 20mm x 500mm, black	4.00	PCE		Normal BoM		
[HD-EX0011] Aluminum Frame LTP, extrusion 20mm x 20mm x 500mm, Tapped M5x0.8 on one End, black	4.00	PCE		Normal BoM		
[HD-BT0048] Metric Class 12.9 Socket Head Cap Screw Alloy Steel, M5 Thread, 10mm Length, 0.80mm Pitch	64.00	PCE		Normal BoM		
[HD-BT0049] Metric Class 12.9 Socket Head Cap Screw, Alloy Steel, M5 thread, 14MM length, 0.80MM pitch	1.00	PCE		Normal BoM		
[HD-WA0007] M5 Washer, Steel, Zinc Plated	63.00	PCE		Normal BoM		
[HD-NT0017] Slide in t-nuts for Aluminum Frame, M5	59.00	PCE		Normal BoM		
[KT-CP0032] LCD Case Assembly, TAZ	1.00	PCE		Normal BoM		
[KT-CP0036] Electronics Case Assembly, TAZ	1.00	PCE		Normal BoM	On Stock	
[PP-FP0006] Sheet metal enclosure, black anodized	1.00	PCE		Normal BoM		
[PC-BD0028] RAMBo 1.2e controller board	1.00	PCE		Normal BoM	On Stock	
[PC-AS0029] RAMBo 1.2e Kit	1.00	PCE		Normal BoM		
[PP-IS0003] Enclosure upper strain relief v2.2, TAZ with inserts	1.00	PCE		Normal BoM	On Stock	
[PP-GP0112] Enclosure upper strain relief v2.2, TAZ	1.00	PCE		Normal BoM	On Stock	
[RM-AB0082] Black ABS 3mm Filament, 5lb Reel	14.00	g		Normal BoM		
[HD-MS0030] Metric Brass Heat-Set Insert for Plastics Tapered, M3-.5 Internal Thread, 3.8mm Length	6.00	PCE		Normal BoM		

[HD-BT0044] Metric Class 12.9 Socket Head Cap Screw , Alloy Steel, M3 Thread, 5MM Length, 0.50MM Pitch	4.00	PCE		Normal BoM	
[HD-BT0039] Metric Class 12.9 Socket Head Cap Screw , Alloy Steel, M3 Thread, 12MM Length, 0.50MM Pitch	3.00	PCE		Normal BoM	
[HD-WA0001] M3 Washer, Steel, Zinc Plated	3.00	PCE		Normal BoM	
[KT-CP0028] X End Motor Assembly, TAZ	1.00	PCE		Normal BoM	On Stock
[PP-IS0006] X motor mount, TAZ with inserts	1.00	PCE		Normal BoM	On Stock
[PP-GP0095] X motor mount, TAZ	1.00	PCE		Normal BoM	On Stock
[RM-AB0082] Black ABS 3mm Filament, 5lb Reel	54.00	g		Normal BoM	
[HD-MS0030] Metric Brass Heat-Set Insert for Plastics Tapered, M3-.5 Internal Thread, 3.8mm Length	8.00	PCE		Normal BoM	
[PP-GP0084] Double bearing holder	1.00	PCE		Normal BoM	On Stock
[EL-HR0016-2] Motor wires -2	1.00	PCE		Normal BoM	
[HD-MS0033] GT2, 16 Teeth, timing pulley, AL	1.00	PCE		Normal BoM	
[KT-CP0039] M3 x 25 SHCS with red thumb screw	1.00	PCE		Normal BoM	On Stock
[HD-BT0041] Metric Class 12.9 Socket Head Cap Screw Alloy Steel, M3 Thread, 25mm Length, 0.50mm Pitch	1.00	PCE		Normal BoM	
[HD-MS0056] Metric Press-fit Plastic Thumb Screw Head Knurled, Red, Fits M3 Screw , 9.6mm A, 4.4mm B	1.00	PCE		Normal BoM	
[HD-MS0009] Spring, 4.6mm OD, 0.5mm WD, 19mm	1.00	PCE		Normal BoM	
[HD-BT0039] Metric Class 12.9 Socket Head Cap Screw , Alloy Steel, M3 Thread, 12MM Length, 0.50MM Pitch	8.00	PCE		Normal BoM	
[HD-WA0001] M3 Washer, Steel, Zinc Plated	9.00	PCE		Normal BoM	
[KT-CP0029] X End Idler Assembly, TAZ	1.00	PCE		Normal BoM	On Stock
[PP-IS0004] X bearing mount with inserts	1.00	PCE		Normal BoM	On Stock
[PP-GP0092] X bearing mount	1.00	PCE		Normal BoM	On Stock
[RM-AB0082] Black ABS 3mm Filament, 5lb Reel	54.00	g		Normal BoM	
[HD-MS0030] Metric Brass Heat-Set Insert for Plastics Tapered, M3-.5 Internal Thread, 3.8mm Length	6.00	PCE		Normal BoM	
[PP-GP0084] Double bearing holder	1.00	PCE		Normal BoM	On Stock
[HD-BT0039] Metric Class 12.9 Socket Head Cap Screw , Alloy Steel, M3 Thread, 12MM Length, 0.50MM Pitch	4.00	PCE		Normal BoM	
[HD-WA0001] M3 Washer, Steel, Zinc Plated	4.00	PCE		Normal BoM	
[HD-BT0059] M8 x 35 Bolt, BHCS Black-Oxide	1.00	PCE		Normal BoM	
[HD-WA0006] M8 Washer, Steel, Zinc Plated	3.00	PCE		Normal BoM	
[HD-NT0002] M8 Nyloc Nut, Zinc Plated	1.00	PCE		Normal BoM	
[HD-MS0013] 608 Bearing	2.00	PCE		Normal BoM	
[KT-CP0030] X Carriage Assembly, TAZ	1.00	PCE		Normal BoM	On Stock
[PP-IS0005] X carriage, TAZ with inserts	1.00	PCE		Normal BoM	On Stock
[PP-GP0093] X carriage, TAZ	1.00	PCE		Normal BoM	On Stock
[RM-AB0082] Black ABS 3mm Filament, 5lb Reel	74.00	g		Normal BoM	
[HD-MS0030] Metric Brass Heat-Set Insert for Plastics Tapered, M3-.5 Internal Thread, 3.8mm Length	15.00	PCE		Normal BoM	
[PP-GP0094] X carriage guide	1.00	PCE		Normal BoM	On Stock
[RM-AB0082] Black ABS 3mm Filament, 5lb Reel	8.00	g		Normal BoM	
[PP-GP0084] Double bearing holder	1.00	PCE		Normal BoM	On Stock
[RM-AB0082] Black ABS 3mm Filament, 5lb Reel	31.00	g		Normal BoM	
[HD-BU0001] DryLin® R - Solid polymer bearing RJM-01, 10mm	2.00	PCE		Normal BoM	
[PP-GP0117] Bearing Holder v1.1b, TAZ	1.00	PCE		Normal BoM	On Stock
[HD-BT0039] Metric Class 12.9 Socket Head Cap Screw , Alloy Steel, M3 Thread, 12MM Length, 0.50MM Pitch	12.00	PCE		Normal BoM	
[HD-WA0001] M3 Washer, Steel, Zinc Plated	12.00	PCE		Normal BoM	
[KT-CP0031] Print Head Assembly, TAZ	1.00	PCE		Normal BoM	On Stock
[KT-CP0035] Extruder Assembly	1.00	PCE		Normal BoM	On Stock
[PP-GP0058] Wade Reloaded Extruder Block	1.00	PCE		Normal BoM	On Stock
[RM-AB0082] Black ABS 3mm Filament, 5lb Reel	42.00	g		Normal BoM	
[PP-GP0060] Wade Reloaded Bearing Washer	1.00	PCE		Normal BoM	On Stock
[RM-AB0082] Black ABS 3mm Filament, 5lb Reel	1.00	g		Normal BoM	
[PP-GP0062] Reloaded herringbone small gear	1.00	PCE		Normal BoM	On Stock
[RM-AB0082] Black ABS 3mm Filament, 5lb Reel	4.00	g		Normal BoM	
[KT-CP0042] Large herringbone gear with hobbed bolt	1.00	PCE		Normal BoM	On Stock
[PP-GP0061] Reloaded herringbone large gear	1.00	PCE		Normal BoM	On Stock
[RM-AB0082] Black ABS 3mm Filament, 5lb Reel	25.00	g		Normal BoM	
[HD-BT0028] Hobbed Bolt, M8 x 60mm Hex head, Stainless Steel	1.00	PCE		Normal BoM	On Stock
[PP-GP0091] Extruder latch	1.00	PCE		Normal BoM	On Stock
[RM-AB0082] Black ABS 3mm Filament, 5lb Reel	3.00	g		Normal BoM	
[EL-HR0016-2] Motor wires -2	1.00	PCE		Normal BoM	
[KT-CP0038] Extruder Idler with Bearing	1.00	PCE		Normal BoM	On Stock
[PP-GP0059] Wade Reloaded Idler Block	1.00	PCE		Normal BoM	On Stock
[RM-AB0082] Black ABS 3mm Filament, 5lb Reel	10.00	g		Normal BoM	
[HD-MS0073] 100 608ZZ Skateboard/Inline Skate/Rollerblade/Hockey Bearing Ball Bearings	1.00	PCE		Normal BoM	
[HD-RD0004] 8mm Smooth Rod x 18-19mm, Stainless Steel	1.00	PCE		Normal BoM	On Stock
[HD-MS0013] 608 Bearing	2.00	PCE		Normal BoM	
[HD-MS0027] Extruder Comp Spring - Music Wire	2.00	PCE		Normal BoM	
[HD-BT0012] M3 Set Screw (Grub Screw)	1.00	PCE		Normal BoM	
[HD-BT0039] Metric Class 12.9 Socket Head Cap Screw , Alloy Steel, M3 Thread, 12MM Length, 0.50MM Pitch	4.00	PCE		Normal BoM	
[HD-BT0041] Metric Class 12.9 Socket Head Cap Screw Alloy Steel, M3 Thread, 25mm Length, 0.50mm Pitch	1.00	PCE		Normal BoM	
[HD-WA0001] M3 Washer, Steel, Zinc Plated	4.00	PCE		Normal BoM	
[HD-MS0001] M3 Washer, Steel, Zinc Plated	3.00	PCE		Normal BoM	

[HD-NT0004] M5 Nut, Steel, Zinc Plated	2.00	PCE	Normal BoM	
[KT-CP0040] M4 x 55 SHCS w with black thumb screw	2.00	PCE	Normal BoM	On Stock
[HD-BT0052] Metric Class 12.9 Socket Head Cap Screw M4 Thread, 55mm Length, 0.70mm Pitch	1.00	PCE	Normal BoM	
[HD-MS0031] Metric Press-Fit Plastic Thumb Screw Head Knurled, Black, Fits M4 Screw , 13mm A, 5.5mm B	1.00	PCE	Normal BoM	
[HD-NT0011] M4 Nut, Steel, Zinc Plated	2.00	PCE	Normal BoM	
[HD-WA0005] M4 Washer, Steel, Zinc Plated	4.00	PCE	Normal BoM	
[HD-NT0002] M8 Nyloc Nut, Zinc Plated	1.00	PCE	Normal BoM	
[HD-WA0006] M8 Washer, Steel, Zinc Plated	4.00	PCE	Normal BoM	
[HD-WA0008] Metric Spring Steel Shim - DIN 988 0.5mm Thick, 8mm ID, 14mm OD	1.00	PCE	Normal BoM	
[HD-WA0009] Metric Spring Steel Shim - DIN 988 1.0mm Thick, 8mm ID, 14mm OD	1.00	PCE	Normal BoM	
[HE-SH0016] Budaschnozzle 2.0, 0.35mm Nozzle, for assembly	1.00	PCE	Normal BoM	
[PP-IS0001] Extruder mount, TAZ with inserts	1.00	PCE	Normal BoM	On Stock
[PP-GP0096] Extruder mount, TAZ	1.00	PCE	Normal BoM	On Stock
[RM-AB0082] Black ABS 3mm Filament, 5lb Reel	67.00	g	Normal BoM	
[HD-MS0030] Metric Brass Heat-Set Insert for Plastics Tapered, M3-.5 Internal Thread, 3.8mm Length	4.00	PCE	Normal BoM	
[HD-NT0011] M4 Nut, Steel, Zinc Plated	2.00	PCE	Normal BoM	
[HD-WA0005] M4 Washer, Steel, Zinc Plated	2.00	PCE	Normal BoM	
[HD-BT0010] M4 x 20 Bolt, SHCS Black-oxide	2.00	PCE	Normal BoM	
[KT-CP0048] Drive rod assembly, double nut, TAZ	2.00	PCE	Normal BoM	On Stock
[HD-RD0021] M6 Threaded Rod, Stainless Steel, 410mm	1.00	PCE	Normal BoM	On Stock
[HD-MS0143] Steel Compression Spring, Zinc-Plated Spring-Tempered, 1.0" L, .313" OD, .029" Wire	1.00	PCE	Normal BoM	
[HD-NT0029] Metric Brass Hex Nut, M6 Size, 1 mm Pitch, 10 mm Width, 5mm Height	2.00	PCE	Normal BoM	
[PP-IS0014] Z nut spring M6 v2.0, TAZ with inserts	1.00	PCE	Normal BoM	On Stock
[PP-GP0119] Z nut spring M6 v2.0, TAZ	1.00	PCE	Normal BoM	On Stock
[RM-AB0082] Black ABS 3mm Filament, 5lb Reel	15.00	g	Normal BoM	
[HD-MS0030] Metric Brass Heat-Set Insert for Plastics Tapered, M3-.5 Internal Thread, 3.8mm Length	4.00	PCE	Normal BoM	
[HD-TB0023] Watts SVFD20 Pre-Cut 5/16-Inch Diameter by 3/16-Inch Clear Vinyl Tubing	4.00	cm	Normal BoM	
[EL-HR0016-1] Motor wires -1	1.00	PCE	Normal BoM	
[EL-HR0016-2] Motor wires -2	1.00	PCE	Normal BoM	
[HD-RD0018] 10mm Smooth Rod, Stainless Steel, 500mm	4.00	PCE	Normal BoM	On Stock
[HD-MS0059] Standard Nylon Cable Tie, 7-1/2" L, 1-7/8" Bundle Diameter, 50# Tensile Strength, Black, Packs of 100	4.00	PCE	Normal BoM	
[HD-BL0009] GT2 1164mm by 6mm belt	1.00	PCE	Normal BoM	
[HD-BT0012] M3 Set Screw (Grub Screw)	2.00	PCE	Normal BoM	
[HD-BT0039] Metric Class 12.9 Socket Head Cap Screw , Alloy Steel, M3 Thread, 12MM Length, 0.50MM Pitch	27.00	PCE	Normal BoM	
[HD-WA0001] M3 Washer, Steel, Zinc Plated	23.00	PCE	Normal BoM	
[HD-BT0057] Class 10.9 Stl Button Head Socket Cap Screw M8 Size, 35 Mm Length, 1.25 Mm Pitch	8.00	PCE	Normal BoM	
[HD-WA0007] M5 Washer, Steel, Zinc Plated	4.00	PCE	Normal BoM	
[HD-NT0017] Slide in t-nuts for Aluminum Frame, M5	4.00	PCE	Normal BoM	
[KT-CP0052] Y axis assembly v1.1, TAZ	1.00	PCE	Normal BoM	On Stock
[PP-IS0007] Y Corner Left v1.2, TAZ with inserts	2.00	PCE	Normal BoM	On Stock
[PP-GP0113] Y Corner Left v1.2, TAZ	1.00	PCE	Normal BoM	On Stock
[RM-AB0082] Black ABS 3mm Filament, 5lb Reel	21.00	g	Normal BoM	
[HD-MS0030] Metric Brass Heat-Set Insert for Plastics Tapered, M3-.5 Internal Thread, 3.8mm Length	1.00	PCE	Normal BoM	
[HD-MS0060] Metric Brass Heat-Set Insert For Plastics Tapered, M5-.8 Internal Thread, 11.1mm Length	1.00	PCE	Normal BoM	
[PP-IS0008] Y Corner Right v1.2, TAZ with inserts	2.00	PCE	Normal BoM	On Stock
[PP-GP0114] Y Corner Right v1.2, TAZ	1.00	PCE	Normal BoM	On Stock
[RM-AB0082] Black ABS 3mm Filament, 5lb Reel	21.00	g	Normal BoM	
[HD-MS0030] Metric Brass Heat-Set Insert for Plastics Tapered, M3-.5 Internal Thread, 3.8mm Length	1.00	PCE	Normal BoM	
[HD-MS0060] Metric Brass Heat-Set Insert For Plastics Tapered, M5-.8 Internal Thread, 11.1mm Length	1.00	PCE	Normal BoM	
[KT-CP0045] Y Axis End Idler Assembly	1.00	PCE	Normal BoM	On Stock
[PP-FP0015] Y Axis End Idler	1.00	PCE	Normal BoM	
[PP-GP0115] Y Bearing Mount v2.6.b, TAZ	1.00	PCE	Normal BoM	On Stock
[RM-AB0082] Black ABS 3mm Filament, 5lb Reel	10.00	g	Normal BoM	
[HD-BT0039] Metric Class 12.9 Socket Head Cap Screw , Alloy Steel, M3 Thread, 12MM Length, 0.50MM Pitch	4.00	PCE	Normal BoM	
[HD-WA0001] M3 Washer, Steel, Zinc Plated	4.00	PCE	Normal BoM	
[HD-NT0004] M3 Nut, Steel, Zinc Plated	4.00	PCE	Normal BoM	
[HD-BT0059] M8 x 35 Bolt, BHCS Black-Oxide	1.00	PCE	Normal BoM	
[HD-WA0006] M8 Washer, Steel, Zinc Plated	2.00	PCE	Normal BoM	
[HD-NT0002] M8 Nyloc Nut, Zinc Plated	1.00	PCE	Normal BoM	
[HD-MS0013] 608 Bearing	2.00	PCE	Normal BoM	
[KT-CP0046] Y Axis End Motor Assembly	1.00	PCE	Normal BoM	On Stock
[PP-FP0016] Y Axis End Motor	1.00	PCE	Normal BoM	
[PP-IS0010] Y Motor Mount v2.4, TAZ with inserts	1.00	PCE	Normal BoM	On Stock
[PP-GP0116] Y Motor Mount v2.4, TAZ	1.00	PCE	Normal BoM	On Stock
[RM-AB0082] Black ABS 3mm Filament, 5lb Reel	31.00	g	Normal BoM	
[PP-MP0066] Metric Brass Heat-Set Insert for Plastics, Tapered, M2-.4 Internal Thread, 2.9MM Length	2.00	PCE	Normal BoM	
[HD-BT0039] Metric Class 12.9 Socket Head Cap Screw , Alloy Steel, M3 Thread, 12MM Length, 0.50MM Pitch	4.00	PCE	Normal BoM	
[HD-WA0001] M3 Washer, Steel, Zinc Plated	4.00	PCE	Normal BoM	
[HD-NT0004] M3 Nut, Steel, Zinc Plated	4.00	PCE	Normal BoM	

[HD-NT0004] M3 Nut, Steel, Zinc Plated	1.00	PCE	Normal BoM	
[KT-CP0051] Y Plate Assembly v1.1, TAZ	1.00	PCE	Normal BoM	On Stock
[PP-MP0045] 300 x 300mm Bed Mount Plate	1.00	PCE	Normal BoM	
[PP-IS0009] Y belt mount wth inserts	1.00	PCE	Normal BoM	On Stock
[PP-GP0098] Y belt mount	1.00	PCE	Normal BoM	On Stock
[RM-AB0082] Black ABS 3mm Filament, 5lb Reel	26.00	g	Normal BoM	
[HD-MS0030] Metric Brass Heat-Set Insert for Plastics Tapered, M3-.5 Internal Thread, 3.8mm Length	8.00	PCE	Normal BoM	
[PP-IS0002] Bearing Holder v1.1b, TAZ wth inserts	4.00	PCE	Normal BoM	On Stock
[PP-GP0117] Bearing Holder v1.1b, TAZ	1.00	PCE	Normal BoM	On Stock
[RM-AB0082] Black ABS 3mm Filament, 5lb Reel	12.00	g	Normal BoM	
[HD-MS0030] Metric Brass Heat-Set Insert for Plastics Tapered, M3-.5 Internal Thread, 3.8mm Length	4.00	PCE	Normal BoM	
[PP-GP0083] Bed Finger	4.00	PCE	Normal BoM	On Stock
[RM-AB0082] Black ABS 3mm Filament, 5lb Reel	1.00	g	Normal BoM	
[PP-IS0015] Bed Corner v2.5, TAZ wth insert	4.00	PCE	Normal BoM	On Stock
[PP-GP0118] Bed Corner v2.5, TAZ	1.00	PCE	Normal BoM	On Stock
[RM-AB0082] Black ABS 3mm Filament, 5lb Reel	3.00	g	Normal BoM	
[HD-MS0030] Metric Brass Heat-Set Insert for Plastics Tapered, M3-.5 Internal Thread, 3.8mm Length	1.00	PCE	Normal BoM	
[PP-GP0086] Belt clamp, TAZ	2.00	PCE	Normal BoM	On Stock
[RM-AB0082] Black ABS 3mm Filament, 5lb Reel	1.00	g	Normal BoM	
[HD-MS0027] Extruder Comp Spring - Music Wire	4.00	PCE	Normal BoM	
[HD-BT0039] Metric Class 12.9 Socket Head Cap Screw , Alloy Steel, M3 Thread, 12MM Length, 0.50MM Pitch	36.00	PCE	Normal BoM	
[HD-WA0001] M3 Washer, Steel, Zinc Plated	32.00	PCE	Normal BoM	
[PP-IS0011] Y mount table wth insert	4.00	PCE	Normal BoM	On Stock
[PP-GP0100] Y mount table	1.00	PCE	Normal BoM	On Stock
[RM-AB0082] Black ABS 3mm Filament, 5lb Reel	7.00	g	Normal BoM	
[HD-MS0060] Metric Brass Heat-Set Insert For Plastics Tapered, M5-.8 Internal Thread, 11.1mm Length	1.00	PCE	Normal BoM	
[HD-EX0012] Aluminum Frame TPW, extrusion 20mm x 20mm x 500mm,Tapped M5x0.8 on both Ends, black	2.00	PCE	Normal BoM	
[HD-RD0018] 10mm Smooth Rod, Stainless Steel, 500mm	2.00	PCE	Normal BoM	On Stock
[EL-HR0016-2] Motor wires -2	1.00	PCE	Normal BoM	
[HD-MS0033] GT2, 16 Teeth, timing pulley, AL	1.00	PCE	Normal BoM	
[EL-SW0011] OMRON Sw itch Snap Action N.O./N.C. SPDT Simulated Roller Lever Quick Connect 3A 125VAC 30VDC 0.5N Screw Mount	1.00	PCE	Normal BoM	
[EL-HR0023] Y extension assembly, #5	1.00	PCE	Normal BoM	On Stock
[HD-BL0009] GT2 1164mm by 6mm belt	1.00	PCE	Normal BoM	
[HD-BT0038] Metric Class 12.9 Socket Head Cap Screw Alloy Steel, M2 Thread, 12mm Length, 0.4mm Pitch	2.00	PCE	Normal BoM	
[HD-WA0012] Steel Flat Washer, DIN 125 zinc-plated class 4,M2 screw sz, 5mm OD, .25mm-.35mm thick	2.00	PCE	Normal BoM	
[HD-BT0039] Metric Class 12.9 Socket Head Cap Screw , Alloy Steel, M3 Thread, 12MM Length, 0.50MM Pitch	4.00	PCE	Normal BoM	
[HD-BT0012] M3 Set Screw (Grub Screw)	4.00	PCE	Normal BoM	
[HD-WA0001] M3 Washer, Steel, Zinc Plated	4.00	PCE	Normal BoM	
[HD-BT0048] Metric Class 12.9 Socket Head Cap Screw Alloy Steel, M5 Thread, 10mm Length, 0.80mm Pitch	20.00	PCE	Normal BoM	
[HD-WA0007] M5 Washer, Steel, Zinc Plated	20.00	PCE	Normal BoM	
[HD-NT0017] Slide in t-nuts for Aluminum Frame, M5	12.00	PCE	Normal BoM	
[HD-MS0058] Wire Tie, 8"	1.00	PCE	Normal BoM	
[EL-HR0026] Z sw itch extension assembly, #1	1.00	PCE	Normal BoM	On Stock
[EL-HR0008] Z sw itch extension, TAZ	1.00	PCE	Normal BoM	
[EL-MS0073] Tubing Corrugated Loom .25" x 100'	10.00	cm	Normal BoM	
[EL-SW0011] OMRON Sw itch Snap Action N.O./N.C. SPDT Simulated Roller Lever Quick Connect 3A 125VAC 30VDC 0.5N Screw Mount	1.00	PCE	Normal BoM	
[HD-MS0058] Wire Tie, 8"	2.00	PCE	Normal BoM	
[EL-HR0027] Z right motor extension assembly, #2	1.00	PCE	Normal BoM	On Stock
[EL-HR0017-3] Motor extension -3	1.00	PCE	Normal BoM	
[EL-MS0073] Tubing Corrugated Loom .25" x 100'	52.00	cm	Normal BoM	
[EL-HR0028] X extension assembly, #3A	1.00	PCE	Normal BoM	On Stock
[EL-HR0017-2] Motor extension -2	1.00	PCE	Normal BoM	
[EL-HR0010-1] X sw itch extension long, TAZ	1.00	PCE	Normal BoM	
[EL-MS0073] Tubing Corrugated Loom .25" x 100'	47.00	cm	Normal BoM	
[EL-HR0029] X sw itch extension assembly, #3B	1.00	PCE	Normal BoM	On Stock
[EL-HR0010-2] X sw itch extension short, TAZ	1.00	PCE	Normal BoM	
[EL-MS0073] Tubing Corrugated Loom .25" x 100'	12.00	cm	Normal BoM	
[EL-HR0025] Print head extension, #4	1.00	PCE	Normal BoM	On Stock
[EL-HR0024] Budaschnozzle extension, 1300mm	1.00	PCE	Normal BoM	On Stock
[EL-HR0017-4] Motor extension -4	1.00	PCE	Normal BoM	
[EL-MS0073] Tubing Corrugated Loom .25" x 100'	120.00	cm	Normal BoM	
[EL-HR0023] Y extension assembly, #5	1.00	PCE	Normal BoM	On Stock
[EL-HR0017-1] Motor extension -1	1.00	PCE	Normal BoM	
[EL-HR0009-1] Y sw itch extension long, TAZ	1.00	PCE	Normal BoM	
[EL-MS0073] Tubing Corrugated Loom .25" x 100'	40.00	cm	Normal BoM	
[EL-HR0022] Heat bed extension assembly, #6	1.00	PCE	Normal BoM	On Stock
[EL-HR0006] Heat bed extensions	1.00	PCE	Normal BoM	
[EL-MS0073] Tubing Corrugated Loom .25" x 100'	52.00	cm	Normal BoM	
[EL-HR0005] LCD Wire Harness	1.00	PCE	Normal BoM	

[PP-FP0007] Relief shield, black anodized	1.00	PCE	Normal BoM	
[PP-GP0111] Enclosure low er strain relief v2.4, TAZ	1.00	PCE	Normal BoM	On Stock
[RM-AB0082] Black ABS 3mm Filament, 5lb Reel	7.00	g	Normal BoM	
[HD-MS0054] Bumper Square, rubber	8.00	PCE	Normal BoM	
[HD-MS0058] Wire Tie, 8"	17.00	PCE	Normal BoM	
[HD-BT0012] M3 Set Screw (Grub Screw)	2.00	PCE	Normal BoM	
[HD-BT0039] Metric Class 12.9 Socket Head Cap Screw , Alloy Steel, M3 Thread, 12MM Length, 0.50MM Pitch	3.00	PCE	Normal BoM	
[HD-WA0001] M3 Washer, Steel, Zinc Plated	3.00	PCE	Normal BoM	
[KT-CP0041] M5 x 14 SHCS with black thumb screw	4.00	PCE	Normal BoM	On Stock
[HD-BT0049] Metric Class 12.9 Socket Head Cap Screw , Alloy Steel, M5 thread, 14MM length, 0.80MM pitch	1.00	PCE	Normal BoM	
[HD-MS0055] Metric Press-Fit Plastic Thumb Screw Head Knurled, Black, Fits M5 Screw , 16mm A, 6.5mm B	1.00	PCE	Normal BoM	
[KT-CP0043] 300mm heat bed assembly, 24V	1.00	PCE	Normal BoM	On Stock
[HD-MS0002-3] Borosilicate Glass Bed 300mm x 300mm x 1/8"	1.00	PCE	Normal BoM	
[PC-BD0027] Silicon Heater, 24V ,360W, 298mm x 298mm, Self Adhesive, w / connectors	1.00	PCE	Normal BoM	
[HD-MS0145] Tape, 12.25 x 12.25 PET, Green	1.00	PCE	Normal BoM	
[EL-SW0011] OMRON Switch Snap Action N.O./N.C. SPDT Simulated Roller Lever Quick Connect 3A 125VAC 30VDC 0.5N Screw Mount	1.00	PCE	Normal BoM	
[HD-NT0004] M3 Nut, Steel, Zinc Plated	2.00	PCE	Normal BoM	
[EL-HR0021] Pow er through case assembly, TAZ	1.00	PCE	Normal BoM	
[HD-BT0053] 18-8 Stainless Steel Flat Head Phillips Machine Screw , Black-Oxide Finish, 4-40 Thread, 1/4" Length	4.00	PCE	Normal BoM	
[EL-SW0010] SWITCH ROCKER DPST 20A 250V (C1350AABB-602AW)	1.00	PCE	Normal BoM	
[EL-MS0073] Tubing Corrugated Loom .25" x 100'	6.00	cm	Normal BoM	
[KT-CP0037] Case Fan Assembly, TAZ	1.00	PCE	Normal BoM	On Stock
[KT-CP0050] 80mm fan wiring assembly, TAZ	1.00	PCE	Normal BoM	On Stock
[EL-FA0003] 80x80x15mm 12V DC Fan	1.00	PCE	Normal BoM	
[PC-CN0001] CONN HOUSING 2POS .100 W/LATCH	1.00	PCE	Normal BoM	
[EL-MS0059] CONN TERM FEMALE 22-24AWG TIN	2.00	PCE	Normal BoM	
[PP-FP0010] Electronics cover metal, black anodized	1.00	PCE	Normal BoM	
[HD-BT0041] Metric Class 12.9 Socket Head Cap Screw Alloy Steel, M3 Thread, 25mm Length, 0.50mm Pitch	4.00	PCE	Normal BoM	
[HD-WA0001] M3 Washer, Steel, Zinc Plated	4.00	PCE	Normal BoM	
[HD-NT0004] M3 Nut, Steel, Zinc Plated	4.00	PCE	Normal BoM	
[EL-HR0020] 24vDC Pow er supply assembly	1.00	PCE	Normal BoM	
[HD-BT0039] Metric Class 12.9 Socket Head Cap Screw , Alloy Steel, M3 Thread, 12MM Length, 0.50MM Pitch	4.00	PCE	Normal BoM	
[HD-WA0001] M3 Washer, Steel, Zinc Plated	4.00	PCE	Normal BoM	
[EL-CA0001] 6ft USB 2.0 A Male to B Male 28/24AWG Cable	1.00	PCE	Normal BoM	
[KT-CP0044] Feet tube assembly, TAZ	1.00	PCE	Normal BoM	On Stock
[PP-GP0074] Feed Tube Spinner	1.00	PCE	Normal BoM	On Stock
[RM-AB0082] Black ABS 3mm Filament, 5lb Reel	6.00	g	Normal BoM	
[HD-TB0007] Feed Tube, PTFE, 1' Length	85.00	cm	Normal BoM	
[HD-MS0058] Wire Tie, 8"	2.00	PCE	Normal BoM	
[DC-MS0014] Quality checklist, TAZ 3.1	1.00	PCE	Normal BoM	
[DC-MS0015] Test/Acceptance record TAZ 3.1	1.00	PCE	Normal BoM	
[RM-AB0084] Natural ABS 3mm Filament, 5lb Reel	10.00	g	Normal BoM	
[EL-CA0030] 6ft 18AWG Pow er Cord Cable w / 3 Conductor PC Pow er Connector Socket (C13/5-15P) - Black, 5279	1.00	PCE	Normal BoM	
[DC-LB0014] TAZ v3.1 serial number sticker	2.00	PCE	Normal BoM	
[DC-LB0015] 24VDC sticker	1.00	PCE	Normal BoM	