

GUAVA CONTROLLER BOX – INTERNAL WIRING & CABLES

| Type | Description | Spec / Details | MFG | MFG Part No | DiGiKEY Part No | Qty / Mach | Qty Order |
|--------------------|-------------------------|---|-----|-------------|-----------------|------------|-----------|
| Connector | Receptacle | 14-POS, panel mount w. brass inserts | | | A106308-ND | 4 | 8 |
| | Receptacle | -----”-----; different Keying | | | ? | | |
| Pin/ Socket | Socket | 14-18 AWG Tin Sockets for Receptacle | | | A31997-ND | | |
| Pin/ Socket | Socket | 14-18 AWG Gold Sockets for Receptacle | | | A25012-ND | | |
| Pin/ Socket | Socket | 20-24 AWG Tin Sockets for Receptacle | | | A31995-ND | 48 | 250 |
| Pin/ Socket | Socket | 20-24 AWG Gold Sockets for Receptacle | | | A25108-ND | | |
| *Connector | Plug | 14-POS, free hanging | | | A1358-ND | 4 | 8 |
| * | Plug | -----//-----; different Keying | | | ? | | |
| *Pin/ Socket | Pin | 14-18 AWG Tin Pin for Plug | | | A31998-ND | | |
| *Pin/ Socket | Pin | 14-18 AWG Gold Pin for Plug | | | A25127-ND | | |
| *Pin/ Socket | Pin | 20-24 AWG Tin Pin for Plug | | | A31989-ND | 48 | 250 |
| *Pin/ Socket | Pin | 20-24 AWG Gold Pin for Plug | | | A25107-ND | | |
| *Str Relief | Straight Housing | Cable Clamp for 14-Pos; 0.453” opening | | | A32516-ND | 2 | 4 |
| *Str Relief | Straight Housing | Cable Clamp for 14-Pos; 0.703” opening | | | A33767-ND | | |
| *Str Relief | 90 Deg Housing | -----//-----; 0.453” opening; full cover | | | A33754-ND | 2 | 4 |
| *Str Relief | 90 Deg Housing | -----//-----; 0.453” opening; half cover | | | A33758-ND | | 1 |
| Connector | Receptacle | 4-POS, panel mount w. brass inserts | | | A25053-ND | 1 | 3 |
| Pin/ Socket | Socket | 14-18 AWG Tin Sockets for Receptacle | | | A31997-ND | 2 | 50 |
| Pin/ Socket | Socket | 14-18 AWG Gold Sockets for Receptacle | | | A25012-ND | | |
| Pin/ Socket | Socket | 20-24 AWG Tin Sockets for Receptacle | | | A31995-ND | 2 | 50 |
| | | | | | | | |
| *Connector | Plug | 4-POS, free hanging | | | A1357-ND | 1 | 3 |
| *Pin/ Socket | Pin | 14-18 AWG Tin Pin for Plug | | | A31998-ND | 2 | 50 |
| *Pin/ Socket | Pin | 14-18 AWG Gold Pin for Plug | | | A25127-ND | | |
| *Pin/ Socket | Pin | 20-24 AWG Tin Pin for Plug | | | A31989-ND | 2 | 50 |
| | | * Not Box (Internal) BOM | | | | | |
| | | | | | | | |

| Type | Description | Spec / Details | MFG | MFG Part No | DiGiKEY Part No | Qty/ Mach | Qty Order |
|--------------------|------------------------|--|-----------|-----------------|-----------------|-----------|-----------|
| *Str Relief | Straight Housing | Cable Clamp for 4-Pos; 0.217" opening | | | A99541-ND | | |
| *Str Relief | Straight Housing | Cable Clamp for 4-Pos; 0.329" opening | | | A104910-ND | | |
| *Str Relief | Straight Housing | Cable Clamp for 4-Pos; 0.453" opening | | | A32518-ND | | 2 |
| *Str Relief | 90 Deg Housing | -----//-----; 0.329" opening; full cover | | | A32501-ND | 1 | 2 |
| *Str Relief | 90 Deg Housing | -----//-----; 0.329" opening; half cover | | | A33756-ND | | |
| Connector | Receptcl/Socket | D-Sub RCPT 25POS IDC | 3M | 8350-7005 | 3M15414-ND | 1 | 3 |
| * | Plug | D-Sub Plug 25POS IDC | 3M | 8225-8000 | 3M15408-ND | 1 | 3 |
| *Str Relief | Back Shell | Backshell DB25 Flat Ribbon | Norcomp | 976-025-010R031 | 976-25RPE-ND | 1 | 2 |
| Connector | Housing | 8-POS .100 Dual (Black) | Molex | 22-55-2081 | WM2521-ND | 1 | 50 |
| Connector | Housing | 20-POS .100 Dual (Black) | Molex | 22-55-2201 | WM2527-ND | 1 | 50 |
| Crimp | Female/Socket | Connector Crimp - Socket | Molex | 0016020102 | WM2510-ND | 18 | 250 |
| Connector | LCD Socket | IDC 10POS Dual 30AU | FCI | 71600-010LF FCI | 609-1739-ND | 2 | 50 |
| Cable | Flat | Cable 25 Cond 100FT Shield Flat | 3M | 3517/25 100SF | MB25H-100-ND | 1 | 1 |
| Connector | Thermistor/switch | Connector Housing 2POS .100 W/Latch | Molex | 0050579452 | WM2900-ND | 6 | 50 |
| Connector | Motor Conn | Connector Housing 4POS .100 W/Latch | Molex | 0050579404 | WM2902-ND | 6 | 50 |
| Connector | Switch Conn | Connector Housing 3POS .100 W/Latch | Molex | 0050579403 | WM2901-ND | 3 | 50 |
| **Connector | Socket/ Female | Connector Term Female 22-24AWG Tin | Molex | 0016020102 | WM2510-ND | 30 | 250 |
| * Connector | Housing | Conn Housing Male 2POS .100 | Molex | 0701070001 | WM2533-ND | | 50 |
| * Connector | Pin/ Male | Conn Term Male Pin 24-30AWG Tin | Molex | 0016020108 | WM2565-ND | | 250 |
| * Connector | Housing | Conn Housing Male 4POS .100 | Molex | 0701070003 | WM2535-ND | | 50 |
| Terminal | 24V Power Switch | Conn Fast Receptacle 14-16 AWG .250 | TE Conn. | 3-350820-2 | A27824-ND | 5 | 100 |
| Switch | Power Switch | Switch Rocker DPST 20A 125V | E-Switch | R5ABLKBLKFF0 | EG1529-ND | 1 | 5 |
| | (2nd Source) | Switch Rocker DPST 16A 125V | Cherry | WRG32F2FBBNN | CH784-ND | | |
| Wire/ Cable | Motor Power | Shielded 4Cond 22AWG / 100Ft | Gen Cable | C07623.12.10 | W504-100-ND | 1 | 1 |
| | | Shielded 4Cond 22AWG / 500 ft | | | W504-500-ND | | |
| | | Shielded 4Cond 22AWG / 1000 ft | | | W504-1000-ND | | |
| Wire | Bed Heat Power | 16AWG Stranded – Violet – 100 ft | Gen Cable | C2065A.12.19 | C2065V-100-ND | 1 | 1 |
| | | 16AWG Stranded – Violet – 1000 ft | Gen Cable | C2065A.12.19 | C2065V-1000-ND | | |

| | | | | | | | |
|-------------|--------------------|-----------------------------------|------------|--------------------|------------------------|------------------|------------------|
| Wire | Bed Thermistor | 24AWG Stranded – Yellow – 100 ft | Gen Cable | C2015A.12.05 | C2015Y-100-ND | 1 | 1 |
| Type | Description | Spec / Details | MFG | MFG Part No | DiGiKEY Part No | Qty/ Mach | Qty Order |
| | | 24AWG Stranded – Yellow – 1000 ft | Gen Cable | C2015A.21.05 | C2015Y-1000-ND | | |
| Wire | Ext Power (2) | 24AWG Stranded – Red – 100 ft | Gen Cable | C2015R.12.03 | C2015R-100-ND | 1 | 1 |
| | | 24AWG Stranded – Red – 1000 ft | Gen Cable | C2015R.21.03 | C2015R-1000-ND | | |
| Wire | Ext Thermistor (2) | 24AWG Stranded – Orange – 100 ft | Gen Cable | C2015A.12.04 | C2015A-100-ND | 1 | 1 |
| | | 24AWG Stranded – Orange – 1000 ft | Gen Cable | C2015A.21.04 | C2015A-1000-ND | | |
| Wire | Ext Fan (2) | 24AWG Stranded – Red – 100 ft | Gen Cable | C2015R.12.03 | C2015R-100-ND | 1 | 1 |
| | | 24AWG Stranded – Red – 1000 ft | Gen Cable | C2015R.21.03 | C2015R-1000-ND | | |
| Wire | | 24AWG Stranded – Black – 100 ft | Gen Cable | C2015A.12.01 | C2015B-100-ND | 1 | 1 |
| | | 24AWG Stranded – Black – 1000 ft | Gen Cable | C2015A.21.01 | C2015B-1000-ND | | |
| Wire | Ext Motor (2) | Same as Motor Power Wire - ?? mm | | | | | |
| Wire | 24VDC | 16AWG Stranded – Red – 100 ft | Gen Cable | C2065A.12.03 | C2065R-100-ND | 1 | 1 |
| | | 16AWG Stranded – Red – 1000 ft | Gen Cable | C2065A.21.03 | C2065R-1000-ND | | |
| Wire | 24VDC Common | 16AWG Stranded – Yellow – 100 ft | Gen Cable | C2065A.12.05 | C2065Y-100-ND | 1 | 1 |
| | | 16AWG Stranded – Yellow – 1000 ft | Gen Cable | C2065A.21.05 | C2065Y-1000-ND | | |
| Wire | Z-Right Motor | Same as Motor Power Wire - ?? mm | | | | | |
| | Z- Left Motor | Same as Motor Power Wire - ?? mm | | | | | |
| Wire | Z- Switch | 24AWG Stranded – White – 100 ft | Gen Cable | C2015A.12.02 | C2015W-100-ND | 1 | 1 |
| | | 24AWG Stranded – White – 1000 ft | Gen Cable | C2015A.21.02 | C2015W-1000-ND | | |
| Wire | | 24AWG Stranded – Black – 100 ft | Gen Cable | C2015A.12.01 | C2015B-100-ND | 1 | |
| | | 24AWG Stranded – Black – 1000 ft | Gen Cable | C2015A.21.01 | C2015B-1000-ND | | |
| Wire | X- Motor | Same as Motor Power Wire - ?? mm | | | | | |
| Wire | X- Switch | 24AWG Stranded – White – 100 ft | Gen Cable | C2015A.12.02 | C2015W-100-ND | 1 | |
| | | 24AWG Stranded – White – 1000 ft | Gen Cable | C2015A.21.02 | C2015W-1000-ND | | |
| Wire | | 24AWG Stranded – Black – 100 ft | Gen Cable | C2015A.12.01 | C2015B-100-ND | 1 | |
| | | 24AWG Stranded – Black – 1000 ft | Gen Cable | C2015A.21.01 | C2015B-1000-ND | | |
| Wire | Y- Motor | Same as Motor Power Wire - ?? mm | | | | | |
| Wire | X- Switch | 24AWG Stranded – White – 100 ft | Gen Cable | C2015A.12.02 | C2015W-100-ND | 1 | |
| | | 24AWG Stranded – White – 1000 ft | Gen Cable | C2015A.21.02 | C2015W-1000-ND | | |

| | | | | | | | |
|-----------|------------|----------------------------------|-----------|--------------|----------------|---|----|
| Wire | | 24AWG Stranded – Black – 100 ft | Gen Cable | C2015A.12.01 | C2015B-100-ND | 1 | |
| | | 24AWG Stranded – Black – 1000 ft | Gen Cable | C2015A.21.01 | C2015B-1000-ND | | |
| TB | Power Plug | Term Block Plug 6POS STR 5.08MM | Molex | 39530-0006 | WM7822-ND | 1 | 25 |
| TB | Heat & Fan | Term Block Plug 2POS STR 5.08MM | Molex | 39530-0002 | WM7819-ND | 5 | 50 |
| | | | | | | | |
| | | | | | | | |

TOOLS

| Type | Description | Spec / Details | MFG | MFG Part No | DiGiKEY Part No | Qty/ Mach | Qty Order |
|------------|-------------------|--|----------|-------------|--------------------------------|-----------|-----------|
| Hand Tool | Crimp Tool | TOOL CRIMPER RATCHETING 16-24AWG | TE Conn. | 91505-1 | A9841-ND | | 1 |
| Hand Tool | Insertion Tool | TOOL INSERTION CPC CONTACTS | TE Conn. | 200893-2 | 200893-2-ND | | 2 |
| Hand Tool | Extraction Tool | CONTACT EXTRACTION TOOL | TE Conn. | 305183 | A1329-ND | | 2 |
| Bench Tool | Applicator | (TBD) | | | | | |
| Bench Tool | Flat C/Conn Press | HAND PRESS BENCH MOUNT | PanaVise | 502 | 502PV-ND | | 1 |
| | | HAND PRESS IDC CONVERSION KIT | PanaVise | 506 | 506PV-ND | | 1 |
| | | BASE PLATE SOCKET IDC | PanaVise | 510 | 510PV-ND | | 1 |
| | | | | | | | |
| Hand Tool | Crimp Tool | TOOL CRIMP CGRD KK MICROFIT SPOX | Molex | 0640160201 | WM17552-ND | | 1 |
| Hand Tool | Insertion Tool | TOOL HAND INSERTION | Molex | 0011020022 | WM9911-ND | | 2 |
| Hand Tool | Extraction Tool | TOOL HAND EXTRACTION | Molex | 0011030036 | WM1032-ND | | 2 |
| Bench Tool | Applicator | TOOL APPLICATOR 22-24AWG CRIMP | Molex | 0639023200 | WM6338-ND | | tbd |
| | | | | | | | |
| Hand Tool | Pwr SW Terminal | HAND CRIMP TOOL/FASTOS(W/O DIES) | TE Conn. | 58078-3 | A28005-ND | | 1 |
| | Dies | DIE SET ULTRA-FASTONS 16-14 AWG | TE Conn. | 90391-3 | A28008-ND | | 1 |
| | | | | | | | |
| Type | Description | Spec / Details | MFG | MFG Part No | MOUSER ELEC. | Qty/ Mach | Qty Order |
| Connector | Housing | Heavy Duty Power Connectors PP15/45 HOUSING ONLY - BLACK | | | 879-1327G6-BK (Mouser Part no) | 2 | 50 |

| Connector | Terminal | Heavy Duty Power Connectors PP15 #16-20 AWG CONT LOW DETENT | | | 879-1332-BK (Mouser Part No) | 2 | 50 |
|-----------------|------------------|--|-----|-------------|---------------------------------|--------------|--------------|
| Type | Description | Spec / Details | MFG | MFG Part No | McMaster-Carr | Qty/ Mach | Qty Order |
| * Shrink Tubing | Motor EMI Tubing | EMI/RFI-Shield Heat-Shrink Tubing 3/16" ID Before, 3/32" ID After - 48" Length, Black. | | | 7937K21 | 1 | 1 |
| | | | | | | | |

** If go to Applicator, then part number: WM2510CT for Tape Reel

* Not part of Box (Internal) BOM